

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore®**  
RELEASE 1.8Welcome  
United States Patent and Trademark Office

» Sea

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)**Welcome to IEEE Xplore®**

- ☐ Home
- ☒ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

**IEEE Enterprise**


- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **0** of **1099265** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine   **CNF** = Conference   **STD** = Standard**Results:****No documents matched your query.** [Print Format](#)[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

**Web**Results 1 - 7 of about 16 for sql reboot jdbc api odbc mapper adapt. (0.41 seconds)**[PDF] Client Server Migration Consultancy Report**File Format: PDF/Adobe Acrobat - [View as HTML](#)

... are available, with standard interfaces and communication protocols (eg **ODBC**, **CORBA/IIOP** ... service to the application by a specific software layer (data **mapper**). ...

[www.comp.lancs.ac.uk/projects/RenaissanceWeb/project/Acrobat/D31\\_Client\\_Server.pdf](http://www.comp.lancs.ac.uk/projects/RenaissanceWeb/project/Acrobat/D31_Client_Server.pdf) - [Similar pages](#)

**Freie Mitarbeiter Anwendungsentwicklung - [ Translate this page ]**

... **ODBC** 2.0, 3.0 (Programmierung auf **API**-Level), **JDBC** 2.0, XML ... BMC Ladung/Entladung PLUS, BMC Automatischer Restart Kontrolle (Stapel ... MF COBOL, PL/1, JAVA, **SQL**, DL/1 ...

[www.asware-consult.de/v2/mitarbeiter\\_anw.php](http://www.asware-consult.de/v2/mitarbeiter_anw.php) - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

**[PDF] Getting Started Guide**File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Getting Started Guide Adapters for Application Servers Version 3.8.1 Solaris and Windows NT/2000 Page 2. DOCUMENT ID: 39844-01-0381-01 ...

[download.sybase.com/pdffdocs/apg0381e/aas381gs.pdf](http://download.sybase.com/pdffdocs/apg0381e/aas381gs.pdf) - [Similar pages](#)

**[PDF] Developer's Guide**File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Kit, Web.PB, Web.**SQL**, WebSights, WebViewer, WorkGroup **SQL** Server, XA ... 33 What component

developers need to know about the SBO **API**.... 38 Choosing a **JDBC** driver ...

[download.sybase.com/pdffdocs/epg0200e/devgde.pdf](http://download.sybase.com/pdffdocs/epg0200e/devgde.pdf) - Supplemental Result - [Similar pages](#)

**[PDF] 1 ABC Lan Licenser 3 ABC Systems and Development, Inc. 9 Bartlet ...**

File Format: PDF/Adobe Acrobat

Page 1. 1 ABC Lan Licenser 3 ABC Systems and Development, Inc. 9 Bartlet Street. Suite 255 Andover, MA 01810 Phone: 781-270-0699 ...

[www.isaca.org/pl/PIR/POLCACS2001/cilli3a.pdf](http://www.isaca.org/pl/PIR/POLCACS2001/cilli3a.pdf) - [Similar pages](#)

**[PS] Linux Dictionary Version 0.16 Author: Binh Nguyen**File Format: Adobe PostScript - [View as Text](#)

... html.APF Project file (Allaire) (Created by Homesite) From Whatis-Extensions<http://www.tldp.org/LDP/Linux-Dictionary/html/index.html> .**API** Application Program ...

[www.dvara.net/HK/download/Linux-Dictionary2.ps.gz](http://www.dvara.net/HK/download/Linux-Dictionary2.ps.gz) - [Similar pages](#)

**[PS] Linux Dictionary Version 0.12 Author: Binh Nguyen**File Format: Adobe PostScript - [View as Text](#)

... It makes use of the 3Dwm Nobel **API**, including the new solid modeling support, to create a three-dimensional analog clock displaying the current time. ...

[public.planetmirror.com/pub/ldp/LDP/Linux-Dictionary/Linux-Dictionary.ps.gz](http://public.planetmirror.com/pub/ldp/LDP/Linux-Dictionary/Linux-Dictionary.ps.gz) - Supplemental Result - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 7 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

L62	5	61 and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:09
L63	57	(runtime with install\$) and @ad<"20020307" and (reboot or restart\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:11
L64	30	63 and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:11
L65	19	64 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:11
L66	5	(runtime with install\$) and @ad<"20020307" and (chang\$4 adj password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:14
L67	0	(runtime with install\$) and @ad<"20020307" and (remov\$ with softward)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:14
L68	28	(runtime with install\$) and @ad<"20020307" and (remov\$ with software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:16
L69	5	(runtime with install\$) and @ad<"20020307" and (remov\$ with software) and (procedure adj call)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:17
L70	1	(runtime with install\$) and @ad<"20020307" and (remov\$ with software) and (procedure adj call) and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:24
L71	19	(runtime with install\$) and @ad<"20020307" and (remov\$ or delet\$) and (procedure adj call) and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:41

L72	336	(runtime with install\$) and @ad<"20020307" (software with map\$4 with operat\$5) and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:42
L73	246	(runtime with install\$) and @ad<"20020307" (software adj map\$4 adj operat\$5) and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:42
L74	246	(runtime with install\$) and @ad<"20020307" (software adj map\$4 adj operation) and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:43
L75	246	(runtime with install\$) and @ad<"20020307" (software adj map\$4 adj operation adj runtime) and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:43
L76	26	75 and jdbc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 15:43
L77	3	75 and jdbc and (database with map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:06
L78	2	75 and (current\$ with login\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:08
L79	119	75 and (users with log\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:08
L80	18617	"119" and ((remov\$5 or delet\$) with (install\$5 or adapt\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:09
L81	12	79 and ((remov\$5 or delet\$) with (install\$5 or adapt\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:05

L82	6	79 and ((remov\$5 or delet\$) with (install\$5 or adapt\$)) and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:10
L83	11	79 and (707/10).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:05
L84	4	79 and (707/100).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:05
L85	5	79 and (709/229).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:05
S1	137021	(dat\$3 with service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:28
S2	21325	S1 and duration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:29
S3	12	S2 and (two-way with match\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:29
S4	10	S3 and @ad<"20020215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:59
S5	61	S2 and (profile adj match\$) and @ad<"20020215"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:38
S6	2	"091557".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 17:44

S7	1	"942376".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:00
S8	213	(database adj API) and "operating system"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:02
S9	82	S8 and (database with map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:03
S10	8	S9 and reboot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:02
S11	8	(database adj API) and reboot and (database with map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:12
S12	1	S11 and @ad<"20020307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:04
S13	61	(database adj API) and (reboot or restart\$) and (database with map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:04
S14	51	S13 and @ad<"20020307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:12
S15	43	S14 and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:10
S16	33	S15 and (procedure with call)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:05

S17	42	(database with API) and reboot and (database with map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:12
S18	414	(database with API) and sql and (database with map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:12
S19	129	S18 and (reboot or restart\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:12
S20	103	S19 and @ad<"20020307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:13
S21	75	S20 and jdbc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:13
S22	53	S21 and odbc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 18:13